



K14

Time & Attendance
Biometric Fingerprint Device



Features

Standard Features

- Reliable ZK optical sensor
- Stores 500 templates
- 2.8-inch colour TFT screen for easy navigation
- Less than 1 second user recognition
- Stores 50,000 transactions
- USB port for manual data transfers
- Reads Fingerprint and/or Pin's and/or Cards

Enhanced Features

- Work codes
- TCP/IP
- Integrated RFID proximity reader

Software

- ZK Time 5.0 Attendance Management (Basic Free)
- ZKTime.net (Advanced Licenced)

Related Products



ZK4500



RFID Cards & Tags

Alternative Products



Biopad



DS100



U160-C




X628


Specifications

- Fingerprint Capacity: 500 templates
- Transaction Capacity: 50,000 transactions
- RFID Card Capacity: 500 cards
- Sensor: ZK Optical Sensor
- Algorithm Version: ZK Finger v10.0
- Built-in Card Reader: 125kHz RFID proximity reader
- Communication: TCP/IP, USB-host
- Standard Functions: Work codes
- Power Supply: 5V DC 1A
- Operating Temperature: 0 °C - 45 °C
- Operating Humidity: 20% - 80%
- Dimension: 185 X 140 X 30mm

Dimensions



Configuration



ZKTeco, ZKSoftware, ZKAccess, ZKIVision, ZKBioblock, ZKAFIS are either registered trademarks or trademarks of ZKTECO INC and ZKTeco South Africa.

You must obtain written and signed permission from ZKTECO before using any photograph owned or licenced by ZKTECO.

Copyright © 1998-2014 ZKTECO INC. All rights reserved.